

MAHARASHTRA POLLUTION CONTROL BOARD
SUB-REGIONAL OFFICE – SATARA.

Phone No. 02162-233527
Fax No. 02162-233527



Administrative Building,
2 nd Floor, Behind S. T.
Stand Sadar Bazar,
Satara 415 001.

No. MPCB/SROST/157/2012

Date- 3/5/12

To,
Senior Law Officer,
M.P.C.Board,
Mumbai.

Sub-: Present status of Mahabaleshwar Municipal Council in respect of provision of sewage treatment plant & MSW treatment & disposal site.

Ref-: 1) Contempt Petition no.189 of 2008.
2) Directions given by the Hon'ble High Court dated 16/03/2012.
3) Visit to Council area dated 30/04/2012.

Sir,

With reference to above subject, undersigned along with F.O. has visited to above Municipal Council on 30/04/2012 at around 1:00 pm for checking compliance and to collect the joint vigilance samples, During the visit following observation are made-

B. MAHABALESHWAR MUNICIPAL COUNCIL(STP's)

- STP No.1 (40 MLD Capacity based on SBR technology) at compartment no 79(City Survey no.257/1):
 1. The Mahabaleshwar Municipal Council has provided STP of 4.0 MLD capacity based on SBR technology and the same is commissioned on 15/03/2012.
 2. The STP based on SBR technology with PLC control arrangement provided consisting of Grit Chamber, Collection cum equalization tank provided with 04 no's of pumps installed along with sensor facility for lifting the sewage from collection tank followed by screening chamber, grit chamber, flow divider, SBR basin, Zig-zag chlorination tank, Decanters etc.
 3. During the visit, the STP provided was found in operation.
 4. Municipal Council has provided 01 no. of D.G.Set (150 KVA capacity), for using in case of power failure.


5. The joint vigilance sample of treated effluent from final outlet was collected in presence of Municipal council representative & supervisor of the STP.
 6. The J.V.S. collected was singed, sealed, preserved and sent immediately to Regional Laboratory, Pune for analysis.
 7. The result of the same is received from the Regional Laboratory, MPCB, Pune on 03/05/2012, going through the result , it is observed that, the plant require some additional period for stabilization. (Copy of the result enclosed).
- STP No.2:- (1.0 MLD Capacity based on MMBR technology) at Survey No.626, near Dhobi Ghat:- The work progress of 1.0 MLD STP located at Dhobi Ghat based on MMBR technology is found in progress. Some of the mechanical equipments are seen received on site.

B. MUNICIPAL SOLID WASTE

5. Tarring work of the approach road to the Municipal Solid waste treatment site is seen carried out.
6. At present, only canteen/kitchen waste of all hotels, i.e. Garbage is being treated at their facility, segregation of waste is done manually, as mechanical screen & conveyor belt is not seen in operation.
7. Landfill pit for inorganic waste (for inert material) disposal provided, however it is not put in operation.
8. The unscientific disposal of MSW since last 30 years till lies unattended, which needs scientific capping.

This is submitted for information & further needful action, please.

Yours faithfully,


(P.B. Barbole)
Sub Regional Officer,
MPCB, Satara.

Copy submitted for information to:-
Regional Officer, M.P.C.B.,Pune.

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL LABORATORY : PUNE

Tel. No. : 2581 1698
Fax No. : 2581 1029

'Jog Center' Wakadewadi,
Pune-Mumbai Road,
Shivjinager, Pune-411003.
Date : 03.05.2012

To,
Sub Regional Officer,
M.P.C. Board, SATARA

Report No. : RLPN/JVS/12/00372
JVS No. : SROSA/JVS/12/02218

Date of Collection : 30.04.2012
Date of Receipt : 30.04.2012

PARTICULARS	00372
pH	7.78
B.O.D. 27° C (3 days)	46.75
C.O.D.	104.0
Suspended solids	58.0
Oil & Grease	Nil

NOTE :

- 1) All results are in PPM except pH
- 2) N.A. indicates 'Not Analysed'
- 3) N.D. Indicates Not Detectable.
- 4) Bellow Detectable Limit.


(R. B. SORTE)

Scientific Officer,
I/c. Regional Laboratory, Pune

M/S - Mahabaleshwar Hill Station
Municipal Council.
A/P - Mahabaleshwar.
Tal - Mahabaleshwar.
Dist - Satara.

(← Treated)

MAHARASHTRA POLLUTION CONTROL BOARD
SUB-REGIONAL OFFICE – SATARA.

Phone No. 02162-233527
Fax No. 02162-233527



Administrative Building,
2 nd Floor, Behind S. T.
Stand Sadar Bazar,
Satara 415 001.

No. MPCB/SROST/186/2012

Date- 3/5/12

To,
Senior Law Officer,
M.P.C.Board,
Mumbai.

Sub-: Present status of Panchgani Municipal Council in respect of provision of sewage treatment plant & MSW treatment & disposal site.

Ref-: 1) Contempt Petition no.189 of 2008.
2) Directions given by the Hon'ble High Court dated 16/03/2012.
3) Visit to Council area dated 30/04/2012.

Sir,

With reference to above subject, undersigned along with F.O. has visited to above Municipal Council on 30/04/2012 for checking compliance, as per directions issued by Hon'ble High Court. During the visit following observation are made-

B. PANCHGANI MUNICIPAL COUNCIL(STP's)

4. STP No.1 (0.65 MLD Capacity) at Survey No.83/2 near Siddharthnagar : - The STP of 0.65 MLD at Siddharthnagar was erected during Dec-2009. However, till date sewer connection is not made, hence not commissioned.
5. STP No.2 (0.35 MLD Capacity) at Plot no.497/4 & 5 near Shivajinagar:- The excavation work is completed, the soiling, PCC & RCC side wall work of Collection tank & Aeration tank is completed. Further, no progress is observed.
6. STP No.3 (1.5 MLD Capacity) at Hindu Crematorium: - The M.J.P. (Maharashtra Jivan Pradhikaran) has given technical sanction for this new proposed STP (1.5 MLD Capacity), further there is no progress is observed.


B. MUNICIPAL SOLID WASTE

The existing vermin-composting arrangement provided for treatment of bio-degradable waste is not found in operation. The solid waste around the facility that has been unscientifically dumped still lies unattended, which needs scientific capping.

The sheets of the roof of vermin-composting processing unit are seen recently changed with new sheets. Further, no progress is observed.

This is submitted for information & further needful action, please.

Yours faithfully,


(P.B. Barbole)
Sub Regional Officer,
MPCB, Satara.

Copy submitted for information to:-

- 1 Regional Officer, M.P.C.B., Pune.
- 2 Adu. Abhay Patalki, Hon'ble High Court Mumbai